

7610

Tactical Flashlight

Don't let low battery power freeze you in your tracks. Our new Pelican™ 7610 tactical light is compatible with 1 AA, 2 CR123 or the Pelican 18650 lithium ion rechargeable battery, giving you choices to reload with more battery options to keep the mission going. The power is up to you. The Pelican™ 7610 is loaded with high, strobe, medium and low mode options that can be programmed in five different combinations. A full time battery level indicator and armored with a type III hard anodized finish, the Pelican™ 7610 can take a hit and will never keep you guessing in the dark.

- Type III hard anodized finish
- Full Time Battery Level Indication
- Will run on 1 AA, 2 CR123 or Pelican / Peli rechargeable batteries
- Up to 1018 lumens (with 2x CR123 batteries)
- Four programmable modes (High / Strobe / Medium / Low)
- Five selectable programs



DIMENSIONS

Length 5.44" (13.8 cm)

MATERIALS

Body Aluminum with Type III Anodized

O-Ring NBR

Lens AR Coated Glass

Shroud Aluminum with Type III Anodized

Clip High Carbon Steel

COLOURS

Black

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AA
Battery Type Alkaline
Battery Quantity 1
Batteries Included yes

Battery Level Indicator Full-time battery indicator

Volts 1.5v

WEIGHT

Weight With Batteries 5.5 oz (156 gr)
Weight Without
Batteries 4.7 oz (133 gr)

Switch Type Light Modes Push Button / Momentary Tail Button High / Strobe / Medium / Low

| FL1 STANDARD | HIGH | MEDIUM | LOW |
|--------------|----------------|---------------|--------------|
| 31/4 | 1018 LUMENS | 531 LUMENS | 25 LUMENS |
| Θ | 1h 30mins | 2h 0mins | 33h 0mins |
| | 227m | 151m | 33m |
| | 12856cd | 5674cd | 273cd |
| The | IPX8 (1m) | | |

ACCESSORIES



7616 Nylon Holster



7617 Holster / Wand Kit



2469P Replacement Battery



2388 USB Charger



2389Replacement Battery



7608 Plastic Holster



2387 Battery Casing

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 sales@pelican.com • www.pelican.com

Document created on 05-02-24