

2010

SabreLite™

Meet the design that set the lighting standard for industrial safety and fire rescue. Our 2010 LED combines a traditional task light design with high performance LED technology and safety certifications. The rugged, lightweight polymer body incorporates a twist on/off lens shroud allowing for easy operation and superior impact resistance. The result? Possibly the toughest flashlight available on the market today.

- Twist on/off activation
- Waterproof IPX7
- Lifetime Guarantee of Excellence
- 22-hour runtime
- 3 "C" Batteries (not included)
- Heavy-duty body clip
- · Split ring and security lanyard



DIMENSIONS

Length 8.11" (20.6 cm)

MATERIALS

Body EXL

O-Ring Ethylene Propylene Lens Polycarbonate (PC)

Shroud ABS Clip ABS

Contact Spring Retainer Stainless Steel / Brass Nickel

COLORS

Black High Visibility Yellow

LIGHT SPECS

Lamp Type LED

POWER

Battery Size C
Battery Type Alkaline
Battery Quantity 3
Volts 4.5v

WEIGHT

Weight With Batteries 13.4 oz (380 gr)
Weight Without
Batteries 5.4 oz (153 gr)
Packaged Weight 7.0 oz (198 gr)

SWITCH

Switch Type Twisting Lens Shroud

Light Modes On / Off

CERTIFICATIONS

Class I, Division 1 Class II, Division 1 Class III, Division 1

OTHER

SubmersibleyesMinimum Pack1MilitaryyesPackage CodeC

FL1 STANDARD	HIGH
31/4	161 LUMENS
	22h 0mins
	160m
	6398cd
The	IPX7

ACCESSORIES



2013PL Photoluminescent Shroud



80520R Traffic Wand (Orange)



8052YW Traffic Wand (Yellow)

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 07-17-24