

2460 StealthLite™

The rechargeable version of the StealthLite $^{\rm m}$ 2410 LED Flashlight,. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Pelican toughRechargeable battery pack
- Super bright 1 watt LED beam
- Unconditional Lifetime Guarantee of Excellence
- NOW WITH NEW UPGRADED SPECS
- Waterproof

PELICAN" SteatthLife 2460 LED"

DIMENSIONS

Length

7.00" (17.8 cm)

MATERIALS

Body	ABS
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLORS

High Visibility Yellow

LIGHT SPECS

Lamp Type

POWER

AA
NiMH
4
yes
yes
3 hrs
4.8v

LED

WEIGHT

Weight With Batteries	7.8 oz (221 gr)
Weight Without Batteries	4.4 oz (125 gr)
Packaged Weight	1.4 oz (40 gr)

SWITCH

Switch Type Light Modes One-handed Safety Switch On / Off

CERTIFICATIONS

Class I, Division 2 Class II, Division 2

OTHER

Submersible Minimum Pack	yes 1
Military	yes
Package Code	С

FL1 STANDARD	HIGH
3Mz	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES



0780 Helmet Light Holder



0700 Helmet Light Holder



0750 Helmet Light Holder



2413PL Photoluminescent Shroud



0770 Helmet Light Holder



2407

Nylon Holster



2479

Replacement Battery

4



8056F

12v Plug-in for Fast Charger



2450FBC Fast Charger Bank (5 receptacles)



2467F 110V Transformer (USA)



2470F Deck/Dash Charger Base Unit

6061F

6061F Direct Wiring Rig for Fast Charger



2469P Replacement Battery

 Pelican

 23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

 sales@pelican.com
 • www.pelican.com

Document created on 05-03-24