

1535 _{Air}

Carry-On Case

Pelican [™] Air cases are the toughest and lightest cases Pelican has to offer. Designed with a super-light proprietary HPX² polymer construction, each Pelican Air case is up to 40 percent lighter than an average polymer case, yet still extremely durable. Pelican Air cases are waterproof, crushproof, and dustproof.

The Pelican 1535 Air Case provides protection for a wide variety of gear, from camera equipment to camping kits. It is available with foam, without foam, padded dividers, or TrekPak dividers. The Pelican 1535 Air Case is the maximum airline carry-on size, so you can travel with your sensitive gear close at hand. This Pelican Air case will lighten the load, while protecting your valued possessions.

- Maximum airline carry on size*
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Fold down over-molded handle
- Retractable extension trolley handle
- Stainless steel padlock protectors
- Business card holder
- · Quiet rolling stainless-steel bearing wheels
- *Check with your airline for exact measurement requirements
- Press and Pull[™] Latches
- Limited Lifetime Warranty
- Super-light proprietary HPX^{2™} Polymer up to 40% lighter
- Waterproof O-ring seal
- Waterproof, crushproof, dustproof
- IP67 & MIL-SPEC certified
- Made in the USA



CONFIGURATIONS



1535 Standard



1535NF No Foam



1535WD With Padded Dividers



1535TP With TrekPak Divider System



1535WF With Foam



1535AIRTPF TrekPak / Foam Hybrid

DIMENSIONS

| Interior (L×W×D) | 20.39 x 11.20" x 7.21 (51.8 x 28.4 x 18.3 cm) |
|-----------------------|---|
| Exterior (L×W×D) | 21.96 x 13.97" x 8.98 (55.8 x 35.5 x 22.8 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 5.21" (13.2 cm) |
| Total Depth | 7.21" (18.3 cm) |
| Int Volume | 0.95 ft³ (0.027 m³) |
| Padlock Hole Diameter | 0.31" (0.8 cm) |

MATERIALS

| Body | Proprietary Polypropylene Blend | |
|------------|---|--|
| Latch | ABS | |
| O-Ring | EPDM | |
| Purge Body | ABS | |
| Purge Vent | Hi-Flow Gore-Tex 3 Micron Hydrophobic Non-Woven | |

COLORS

| Black | Orange | Silver | Yellow |
|----------|--------|--------|--------|
| Graphite | | | |

WEIGHT

| Weight With Foam | 9.98 lbs (4.5 kg) |
|--------------------------------------|---------------------|
| Weight Empty | 8.69 lbs (3.9 kg) |
| Buoyancy | 64.80 lbs (29.4 kg) |
| Weight With TrekPak / Foam Hybrid | 11.91 lbs (5.4 kg) |

TEMPERATURE

| Minimum Temperature | -60°F (-51.1 °C) |
|---------------------|------------------|
| Maximum Temperature | 160°F (71.1 °C) |

2

OTHER

Wheels

ACCESSORIES



1535AirFS 3 pc. Replacement Foam Set

1500D

Desiccant Silica Gel



1535AirDS Padded Divider Set



1535MP EZ-Click[™] MOLLE Panel



1535TPKIT TrekPak Case Divider Kit



1500CI Corrosion Intercept Kit



1510TPDIV Extra TrekPak Dividers



1506TSA TSA Lock

Document created on 04-19-24