

2755 Headlamp

Pelican[™] safety approved headlamps are designed for use in hazardous environments. It is not only Class I Div 1 approved but also is ultra compact and lightweight. Equipped with a single high-powered LED, it produces up to 118 lumens and provides up to 16 hours of run time and offers multiple modes (high, low, flashing). Additionally, the Pelican 2755 offers a low battery indicator which can prove to be most valuable. It is available in two colors (yellow or black). Count on Pelican to bring you the best in lighting design and technology.

The new Pelican $^{\scriptscriptstyle \rm M}$ 2755 headlamp: Guiding you safely through the danger zone.

- Built Pelican tough
- Hands-free design
- Comfortable Cloth Strap
- Safety Certified Class I, Division I

PELICAN" LICAL

DIMENSIONS

Length

2.25" (5.7 cm)

MATERIALS

| Body | Polycarbonate (PC) |
|--------|--------------------|
| O-Ring | Over-molded TPR |
| Lens | Polycarbonate (PC) |
| Shroud | Polycarbonate (PC) |

COLORS

Black

High Visibility Yellow

LIGHT SPECS

Lamp Type

POWER

| Battery Size | AAA | |
|--------------------------------|---------------------|--|
| Battery Type | Alkaline | |
| Battery Quantity | 3 | |
| Batteries Included | yes | |
| Battery Level Indicator | Low battery warning | |
| Volts | 4.5v | |

LED

WEIGHT

Weight With Batteries3.4 oz (96 gr)Weight Without
Batteries2.1 oz (60 gr)

SWITCH

Switch Type Light Modes Push Button High / Low / Flashing

1

CERTIFICATIONS

Class I, Division 1 IECEx ia InMetro

OTHER

Minimum Pack

| FL1 STANDARD | HIGH | LOW |
|--------------|---------------|--------------|
| | 118 LUMENS | 60 LUMENS |
| | 7h 30mins | 16h 0mins |
| | 60m | 43m |
| | 910cd | 454cd |
| | IP54 | |

ACCESSORIES



2748 Strapless Headlamp Adapter

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 sales@pelican.com • www.pelican.com

Document created on 05-07-24