



2460 StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Pelican tough
- Rechargeable battery pack
- Super bright 1 watt LED beam
- Unconditional Lifetime Guarantee of Excellence
- **NOW WITH NEW UPGRADED SPECS**
- Waterproof




DIMENSIONS

| | |
|---------------|-----------------|
| Length | 7.00" (17.8 cm) |
|---------------|-----------------|

MATERIALS

| | |
|--------------------------------|------------------------------------|
| Body | ABS |
| O-Ring | Ethylene Propylene |
| Lens | Polycarbonate (PC) |
| Shroud | ABS |
| Contact Spring Retainer | Stainless Steel / Phosphore Bronze |

COLOURS

 High Visibility Yellow

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|---------------------------|-------|
| Battery Size | AA |
| Battery Type | NiMH |
| Battery Quantity | 4 |
| Batteries Included | yes |
| Rechargeable | yes |
| Charge Time | 5 hrs |
| Volts | 4.8v |

WEIGHT

| | |
|---------------------------------|-----------------|
| Weight With Batteries | 7.8 oz (221 gr) |
| Weight Without Batteries | 4.4 oz (125 gr) |
| Packaged Weight | 1.4 oz (40 gr) |

SWITCH






| | |
|--------------------|--------------------------|
| Switch Type | One-handed Safety Switch |
| Light Modes | On / Off |

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

OTHER

| | |
|---------------------|-----|
| Submersible | yes |
| Minimum Pack | 1 |
| Military | yes |
| Package Code | C |

| FL1 STANDARD | HIGH |
|---|---------------|
|  | 183 LUMENS |
|  | 5h 0mins |
|  | 179m |
|  | 8050cd |
|  | IPX7 |

ACCESSORIES




8056F
12v Plug-in for Fast Charger



2467F
110V Transformer (USA)



6061F
Direct Wiring Rig for Fast
Charger



2468A
220V Transformer (Australia)



2469P
Replacement Battery

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 02-04-25