

# 1630

#### **Protector**

Transport Case

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, overmolded rubber handles and stainless steel hardware.

- Personalized nameplate service available
- 4 strong polyurethane wheels with stainless steel bearings (wheel diameter is 5.3cm)
- · Watertight, crushproof, and dustproof
- 3 level Pick N Pluck™ with convoluted lid foam
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Easy open double-throw latches
- Fold down handles
- Lifetime Guarantee of Excellence
- Note: Please consult a sales specialist for more details.
- O-ring seal
- Open cell core with solid wall design strong, light weight
- · Reinforced corners
- Retractable extension trolley handle
- Stackable
- Stainless steel padlock protectors



#### **CONFIGURATIONS**



**1630** Standard



**1634**With Padded Dividers



1630NF No Foam



**1630WF** With Foam

#### **DIMENSIONS**

Interior (L×W×D) 27.70 x 20.98" x 15.50 (70.4 x 53.3 x 39.4 cm) Exterior (L×W×D) 31.28 x 24.21" x 17.48 (79.5 x 61.5 x 44.4 cm)

 Lid Depth
 3.25" (8.3 cm)

 Bottom Depth
 12.14" (30.8 cm)

 Total Depth
 15.39" (39.1 cm)

 Int Volume
 5.21 ft³ (0.148 m³)

 Padlock Hole Diameter
 0.31" (0.8 cm)

#### **MATERIALS**

Body

LatchABSO-RingPolymerPinsStainless SteelFoam1.3 lb Polyurethane

Purge Body ABS

Purge Vent 3 Micron Hydrophobic Non-Woven

#### **COLOURS**

Black Desert Tan

### WEIGHT

 Weight With Foam
 36.00 lbs (16.3 kg)

 Weight Empty
 31.00 lbs (14.1 kg)

 Buoyancy
 350.00 lbs (158.8 kg)

 Master Pack Weight
 42.00 lbs (19.1 kg)

## **TEMPERATURE**

**Minimum Temperature** -40°F (-40 °C) **Maximum Temperature** 210°F (98.9 °C)

#### **CERTIFICATIONS**

IP67

Def Stan 81-41

#### **OTHER**

Wheels 4
Extendable Handle yes
Master Pack 1
Nameplate yes
Reduced Area yes

#### **ACCESSORIES**



**1631** 5 pc. Replacement Foam Set



**1632**Pick N Pluck™ Sections Only (set of 3)



1633 Replacement O-ring



**1635** Padded Divider Set



**1639** Lid Organizer



**1630DC**Document Container
Accessory



**1507** Quick Mounts - set of 4



**1506TSA** TSA Lock



**1500D** Desiccant Silica Gel

#### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 01-15-25